



World leading in vehicle  
drainage technology



## SEDA SOG<sup>2</sup> S-51312

### Shock absorber evacuation unit



### Your benefits:

- ✓ New design
- ✓ Air pressure operated
- ✓ Robust
- ✓ Easy to operate
- ✓ Quick service
- ✓ High quality product
- ✓ Incl. fitting kit

„Get more information  
and have a

look at our

online demo-

video at our

Website:

[www.seda.at!](http://www.seda.at!)“



**SEDA's SOG<sup>2</sup> shock absorber unit represents the perfect balance of affordability and performance for even better shock absorber evacuation.**

The 4 shock absorbers from a vehicle can contain up to 1.5 Litres of oil which must be drained. Shock absorbers are not built with drainage screws so draining them can be a problem.

SEDA provides a fast and cost effective solution with its new SOG<sup>2</sup>. Powerful multi adjustable grip pliers secure the drilling unit to all sized shock absorbers while the specially designed drill bit creates a drainage hole for oil removal in seconds. Once the hole has been drilled the drill bit is retracted and the oil sucked out of the shock absorber through the SEDA SOG<sup>2</sup> to a secondary storage container. A suction hose is included with the delivery to remove any remaining oil below the drill hole.

The fully revised shock absorber evacuation unit is an evolution of the hugely successful SOG. It features stronger grip pliers, a compact anodized housing and more powerful drilling action. The expanded drill chamber means more shocks can be drilled before removing drill fillings.



EN ISO 9001  
Zertifikat Nr. 20 100 82003404  
www.tuv.at



### SEDA-Umwelttechnik GmbH

Schwendter Str. 10 / A-6345 Kössen/Tirol/Austria  
UID-Nr.: ATU56621622 / FB-Nr.: FN 231790 v / FB-Gericht: Innsbruck  
Certified company DIN EN ISO 9001

P: +43 5375 6318-0  
F: +43 5375 6318-9  
E: [info@seda.at](mailto:info@seda.at)  
Web: [www.seda.at](http://www.seda.at)



World leading in vehicle  
drainage technology



## SEDA SOG<sup>2</sup> S-51312

### Shock absorber evacuation unit




A better drill advancing device, a new drill bit suited to double chamber shocks, tighter grip on the shock absorber all help to reduce wear on the drill bit. The anodised chamber not only looks smart but is easier to handle and more practical. The stronger grip pliers make it even easier to attach the SEDA SOG<sup>2</sup> firmly to the shock absorber.

The pressure compensation switch is now ideally placed close to the on/off switch. The included fitting kit allows the SOG<sup>2</sup> to be fitted to any suction device with ease.



#### Your benefits:

app. 1 ½ minutes evacuation  
time/shock absorber



#### TECHNICAL DETAILS

**Air pressure required:** 6 - 8 bar  
**Evacuation time:** ca. 1,5 m/Shock.  
**Suction performance:** 5 l/m (Waste oil)  
**Weight:** 4 kg

**Notice:**  
SEDA SOG<sup>2</sup> requires a suction device!

#### ORDER INFORMATION

**S-51312** SEDA SOG<sup>2</sup>

**Essential Equipment:**  
**S-51311** SEDA Waste oil Kuli  
**S-51350** SEDA Waste oil Pump

**Alternative Product:**  
**S-51326** SEDA DrillMatic



EN ISO 9001  
Zertifikat Nr. 20 100 82003404  
www.tuv.at



#### SEDA-Umwelttechnik GmbH

Schwendter Str. 10 / A-6345 Kössen/Tirol/Austria  
UID-Nr.: ATU56621622 / FB-Nr.: FN 231790 v / FB-Gericht: Innsbruck  
Certified company DIN EN ISO 9001

**P:** +43 5375 6318-0  
**F:** +43 5375 6318-9  
**E:** info@seda.at  
**Web:** www.seda.at